		A
1114	1/1.	K
70	40	D .
·	T-1-1	
	Tracking	NO.

1. APPLICANT INFORMATION

BP	15458
	Dormit No.



Maine Land Use Planning Commission RECEIVED Department of Agriculture, Conservation and Forestry

SEP 1 4 2015

Building Permit

For All Residential Development

1. APPLICANT INFORMATION			LUPO	- GREE	NV/ILLE		For.	All Res	idential .	Develo	oment
Applicant Name(s) Ronald R. Austin John F. Austin	Jr.		Daytime Phor	ne	FAX	~~~					
Mailing Address 836 Kirkland Road	•				Email 🗸 o	пач	stin	1.0.	gmai	1,6	0 ~
Town Old Town					State /	16		Z	ip Code	; 68	
2. PROJECT LOCATION AND PROP	ERTY DETAI	LS									
Township, Town or Plantation Highland Plantation		0	County Son	nerset							
Tax Information (check tax bill) Land Records Map: N/F Timberlands, Inc., Plan:	Map Lot	;#2 :#5	Deed or Leas Book: 263		on <i>(check dee</i> Page: 8			.ease	# :		
Lot size (in acres, or in square feet if less than 1 ac	re) 73 ±	Acres		Lot Cov	e rage (în squ	ıare feet))				
All Zoning on Property (check the LUPC map)			Zoning a	nt Developi G-N∕	nent S	ite				
Road Frontage. List the name(s) and from or private roads, or other rights-of-way adjacence of the stime of t	tage(s) (in feet) scent to your lot Front	for any public to the age 1,625 to the a	Water Fronta ponds, rivers, Waterbody #	age. List the streams, o	e name(s) a r other wate ett Str	ers on c	ntage(s) or adjac	(in fed ent to F	et) for a your lot rontage	ny lake : 3 / 2	25 ft.
Rudu #Z.	11010	ayeıı	waterbody #2				LCD L -	. #	Tornage	. / • ·	10.
If your property is not part of subdivision or contact the LUPC office that serves your area)	n previously a	subdivision num	oer:ommission, pl	SP lease contin	ue to Land	and Division	n Histor	y belo	W. (che	ck your (deed
Land Division History. Using your deed as a starting point, trace the ownership history and configuration changes of your property back 20 years from today. List any division of those lots from which your property originated (use additional sheet of paper if needed).	lexample: Timberla United Key Band	Amy Ac ands Inc. M Fimber Gop. 1 4 to Ron	lams to Rob Rob erged with to Key Bar ald R. Austi	berts United K Tr. 2 Tr	timber hn KAnst	Lorp.	1/12/1 13/ 14/3 12/	997 (19/ 9 3 0/9 21/9	11 8 9	0 acres) 73 A 73 A 73 A	cres cres
3. EXISTING STRUCTURES OR USE	S (Fill in a line f	or each existing s	tructure) F	reviously iss	ued Building	Permit ı	number	(if appli	cable)		
			· · · · · · · · · · · · · · · · · · ·			Н	orizonta struc	al Dista ture fro	ance (in om nea	rest:	
Type of structure (dwelling, garage, deck, porch, shed, driveway, parking area, etc.)	Year built	Exterior dii (in fe (LxW	eet)		oundation nent, slab, etc.)	Road	Property line	Lake or pond	River or stream	Wetland	Ocean/Tidal waters
Camp #1	1950 ±	28'x14'x	10° ±	Posts		1350	150±	*****	1505		
" Stome Building	1950 =	18 × 12' >	112' t	Posts		1350±	200±		200+	_	
11 Outhouse	1950 5?	6 × 6 ±		Posts	Š	1350±	1502		150=	*****	
" Storage Birilding " Onthouse Camp #2	1450 =	30'x 20'	×12' ±	Posts		5000 ÷		مت	50±		
,											

BP 15458

4. PROPOSED STRUCTURES OR USES (INCLUDING DRIVEWAYS AND PARKING AREAS) (USU Reliable Control of the Control of Personal Campsite** 4.1 What is the proposed use of your property?

Residential only Residential with Home Occupation* Horizontal Distance (in feet) of Proposal (check all that apply) structure from nearest: Permanent foundation*** Change |Property | Expand Remove Enclose Road Wetland New structure*** Reconstruct*** Relocate dimensions River or stream Ocean/Tidal water Type of structure deck/porch Exterior _ake or pond (dwelling, garage, deck, porch, shed, dimensions driveway****, camper, RVs, parking lots, (in feet) E etc.) (LxWxH) 윽 X X X 24'x24'x18'+Pirch 1900 190 \$ 190 = * 4.2 HOME OCCUPATIONS: If use of your property includes expanding or starting a home occupation, you must complete Supplement S-1: Questions for Home Occupations. Contact the LUPC office serving your area or download at www.maine.gov/dacf/lupc/. Please note additional fees apply to home occupations, see instructions for the appropriate fees. No new compaits ** 4.3 CAMPSITES: If use of your property includes a campsite for your personal use (e.g., will not be rented): a. Will the tents, tent trailer(s), pickup camper(s), recreational vehicle(s), trailer(s) or similar devices be located on the lot for less than 120 days in a calendar year? c. Will the campsite have access to an on-site pressurized water supply (and not a self-contained water tank with pump)?......

YES

NO *** 4.4 RECONSTRUCTIONS OR NEW ACCESSORY STRUCTURES: If you are constructing a new accessory structure, reconstructing an existing structure, or adding a permanent foundation: a. If the structure or foundation will not meet the LUPC's minimum setback distances from property lines, roads, water bodies or wetlands, explain what physical limitations (lot size, slope, location of septic system, etc.) prevent the structure or foundation from meeting setbacks: If YES, provide the date the structure was damaged, destroyed or removed: **** 4.5 DRIVEWAYS: If you are located on a public road: a. Are you constructing a new driveway or entrance or changing a current driveway in a way that will increase traffic If YES, you must submit Exhibit H: Driveway/Entrance Permit. Note: If your property is located along a County or Town/Plantation Road, you should check with that office before submitting this application to see what is required. 5. SUBSURFACE WASTEWATER DISPOSAL (SEPTIC SYSTEM) (Note: Exhibit may be required. See instructions) 5.1 Mark the existing type of system serving the property: None ☐ Combined Subsurface System (Tank, leach field) ☑ Primitive Subsurface Disposal (Privy, graywater – non-pressurized); Common Sewer (Connected to a sewer district) ☐ Self-Contained Camper or RV ☐ Holding Tank Other 5.2 Will any expanded, reconstructed, or new structures include new bedrooms or bathrooms; add plumbing, water fixtures,

If YES, you may need to submit Exhibit E: Subsurface Wastewater Disposal. (see instructions on page iv)

6. DI	EVELOPMEN	T IN FLOOD PRONE AR	EAS (Note: Supplement m	ay be required. See	instruction	15:JUPC	- GKEEN	VILLE	
6.1	Is your propose Protection) Su	sed activity located within a	mapped P-FP (Flood Prone / (Federal Emergency Manage	Area P-FPS ement ≺ FEMA	. Subdistrict Flood Zor	 ne	Flooding	∐YES ∐YES	ZW0
	If you answe office serving	r YES to any of these ques your area or download at w	stions, you must complete S ww.maine.gov/dacf/lupc/app	upplement S-4: Det lication_forms/index	<i>velopment .</i> .shtml.	in Flood I	Prone Areas.	Contact the	e LUPC
7. VI	EGETATIVE (CLEARING (Note: Exhibit	may be required. See instru	ctions.)					/
7.1			etative clearing not including ructures?			□NA)	_sq.ft
	If you answe	er NA (not applicable) for 7.	1 <u>go to Section 8</u> .						
7.2			osed vegetative clearing with ,000 square feet?		ОИС	₩NA	Total:	0	_ sq. ft.
	similar bound	ary of all public roadways?.	east 50 feet from the right-of-	YES	U NO	⊠NA	How Close	?	feet
7.4	mark of any b	ody of standing water less t	east 75 feet from the normal han 10 acres in size, any tida e miles?	al water, or	Comp "	11 be 111 be ■NA	clearing a built in How Close	Cleuring	+aT.V +hat- leet
ŀ	Will the propo	osed clearing be located at le	east 100 feet from the norma	I high	LINO	rearea M NA	How Close	a scacari P	feet
7.6			tions, please explain why yo						reate an
	***************************************							e on material on allument of effective a frequency of	
								and the second section and the	***************************************
7.7	Buffering in F	Prospectively Zoned Areas	s. Is your property located in	one of the following	Prospectiv	ely Zone	d Plantations	□YES	MŃO
7.7	or Townships?	?Adamstown Twp. Da Rangeley Plt. Ri	allas Plt. Lincoli chardsontown Twp. Sandy	n Plt. Maç River Plt. Tow	jalloway Plt. Inships C, D	, and E.	•••••••••••	□YES	•
7.7	or Townships?	?Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab	allas Pit. Lincoli	n Plt. Maç River Plt. Tow vegetative buffers al	jalloway Plt. Inships C, D I the narroy	, and E. west point	•••••••••••	□YES	•
7.7	or Townships?	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl	allas Pit. Lincolo chardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers	palloway Pit. Inships C, D I the narrov Is as applic), and E. west point cable:	between the	□YES existing ar	ıd
7.7	or Townships? If YES, please proposed structure Standard Minimum	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-RS	allas Pit. Lincolo chardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback	palloway Pit. Inships C, D I the narrov Is as applic	, and E. west point cable: Subdistric	•••••••••••	existing an	ıd
	or Townships? If YES, please proposed strue Standard Minimum Required:	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C	allas Pit. Lincolochardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property	palloway Pit. Inships C, D It the narrov is as applic	, and E. west point cable: Subdistric	between the	existing an D-ES or D-C Subdistricts	ıd
	or Townships? If YES, please proposed strue Standard Minimum Required: This property:	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feel	allas Pit. Lincolo chardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet	palloway Pit. Inships C, D It the narrov Is as applic Line	o, and E. west point cable: Subdistric 50 feet	between the It Boundary (If Buffer to other	existing an D-ES or D-C Subdistricts feet	nd
1	or Townships? If YES, please proposed strue Standard Minimum Required: This property: Note: You ma	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feel ay be required to submit Exh	allas Pit. Lincolo chardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet libit F: Documentation for Ex	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet	galloway Pit. Inships C, D I the narrov Is as applic Line feet g Requirem	o, and E. west point cable: Subdistric 50 feet	between the It Boundary (If Buffer to other ee instruction	existing an D-ES or D-C Subdistricts feet s on page i	nd
8. SO	or Townships? If YES, please proposed struent Standard Minimum Required: This property: Note: You ma	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feet ay be required to submit Exhance, FILLING AND GI	allas Pit. Lincolochardsontown Twp. Sandy le regarding the width of the licable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet feet subit F: Documentation for Ex	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet cceptions to Buffering	galloway Pit. Inships C, D Ithe narrov Is as applic Line feet G Requirem Exhibit ma	o, and E. West point cable: Subdistrict 50 feet nents. (So	between the at Boundary (If Buffer to other be instruction ired. See ins	existing an D-ES or D-C Subdistricts feet s on page is tructions.)	od
1	or Townships? If YES, please proposed strue Standard Minimum Required: This property: Note: You man oil DISTURB Will your projects	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest applement of the Road State of t	allas Pit. Lincolochardsontown Twp. Sandy le regarding the width of the licable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet feet libit F: Documentation for Ex RADING AND EROSION of filling and grading?	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet cceptions to Buffering	galloway Pit. Inships C, D Ithe narrov Is as applic Line feet G Requirem Exhibit ma	o, and E. West point cable: Subdistrict 50 feet nents. (So	between the at Boundary (If Buffer to other be instruction ired. See ins	existing an D-ES or D-C Subdistrictsfeet s on page i	od
8. SO 8.1	or Townships? If YES, please proposed structured: Standard Minimum Required: This property: Note: You made of the your project of the your project of the your project of the years.	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feet apply be required to submit Exh BANCE, FILLING AND Glect involve disturbing soil or e answer the following ques	allas Pit. Lincolo chardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet feet sibit F: Documentation for Ex RADING AND EROSION filling and grading?	n Plt. Mag River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet cceptions to Buffering	palloway Pit. Inships C, D I the narrov Is as applic Line feet g Requirem Exhibit ma	o, and E. west point cable: Subdistric 50 feet nents. (So	between the Boundary (If Buffer to other ee instruction ired. See ins	existing an D-ES or D-C Subdistricts feet s on page in tructions.) YES	v)
8. S0 8.1 8.2	If YES, please proposed strue Standard Minimum Required: This property: Note: You made of the YES, please What is the top of the YES, please what is the YES.	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest applements and the nearest applements and the nearest applements and D-GN, D-GN2, D-GN2, D-GN3, D-RS2, D-FN3 feet in D-ES and D-C feet and D-C feet in D-ES and D-ES an	allas Pit. Lincolochardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet feet feet feet feet feet fee	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet cceptions to Buffering CONTROL (Note:	galloway Pit. Inships C, D I the narrov Is as applic Line feet G Requirem Exhibit ma	o, and E. West point cable: Subdistrict 50 feet nents. (So	between the st Boundary (If Buffer to other ee instruction ired. See ins	existing an D-ES or D-C Subdistricts feet s on page in tructions.)	od (i) v) ⊠NO sq. ft.
8. SO 8.1	If YES, please proposed strue Standard Minimum Required: This property: Note: You man oil DISTURB Will your project if YES, please What is the to will the area of the structure of the struc	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feet ay be required to submit Exhappect involve disturbing soil or e answer the following questotal area of proposed soil distorbance or filling a	allas Pit. Lincolo chardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet libit F: Documentation for Exemples and grading?	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet sceptions to Buffering CONTROL (Note:	galloway Pit. Inships C, D I the narrov Is as applic Line feet g Requirem Exhibit ma	o, and E. west point cable: Subdistric 50 feet ments. (So	between the st Boundary (If Buffer to other ee instruction ired. See ins	existing and D-ES or D-C Subdistricts feets on page intructions.) TYES	v) NO sq. ft.
8. SO 8.1 8.2 8.3	If YES, please proposed structured: Standard Minimum Required: This property: Note: You made the your project of YES, please What is the town will the area of a. If NO, who	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feet and be required to submit Exh BANCE, FILLING AND Glect involve disturbing soil or e answer the following questotal area of proposed soil disturbance or filling a at is the total square feet of	allas Pit. Lincolo chardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet feet feet feet feet feet fee	n Plt. Mag River Plt. Tow vegetative buffers at d subdistrict setback ted Buffers Rear Property 15 feet cceptions to Buffering CONTROL (Note: ction 9. ag?	galloway Pit. Inships C, D I the narrov Is as applic Line feet g Requirem Exhibit ma nan 5,000 s feet?	o, and E. west point cable: Subdistrict 50 feet nents. (So y be required)	between the Boundary (If Buffer to other ee instruction ired. See ins	existing an D-ES or D-C Subdistricts feet s on page in tructions.) YES	v) NO sq. ft. NO sq. ft.
8. S0 8.1 8.2	If YES, please proposed strue Standard Minimum Required: This property: Note: You man of the proposed strue OIL DISTURB Will your project of the property will your project of the property of the project of the pr	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest applement of the following tab actures and the nearest applement of the following tab actures and the nearest applement of feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feet in D-ES and D-ES	allas Pit. Lincolochardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet feet feet feet fibit F: Documentation for Exemple AND EROSION of filling and grading?	n Plt. Maç River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet cceptions to Buffering CONTROL (Note: etion 9. ig?	galloway Pit. Inships C, D I the narrov Is as applic Line feet g Requirem Exhibit ma nan 5,000 s feet?	o, and E. west point cable: Subdistrict 50 feet nents. (So y be required)	between the Boundary (If Buffer to other ee instruction ired. See ins	existing an D-ES or D-C Subdistricts feet s on page in tructions.) YES	v) NO sq. ft.
8. SO 8.1 8.2 8.3	If YES, please proposed strue Standard Minimum Required: This property: Note: You man oil DISTURB Will your project years what is the to will the area of a. If NO, who will all soil distance of the structure of the structur	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feet in D-ES and D-ES an	allas Pit. Lincolochardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet let feet let feet states and grading?	n Plt. Mag River Plt. Tow vegetative buffers al d subdistrict setback ted Buffers Rear Property 15 feet cceptions to Buffering CONTROL (Note: dis NOT frozen or secontrol Plan	galloway Pit. Inships C, D I the narrov Is as applic Line feet g Requirem Exhibit ma nan 5,000 s feet?	o, and E. west point cable: Subdistric 50 feet nents. (So y be requ sq. ft.?	between the st Boundary (If Buffer to other ee instruction ired. See ins	existing and D-ES or D-C Subdistricts feets on page intructions.) TYES	v) NO sq. ft. NO sq. ft.
8. S0 8.1 8.2 8.3 8.4	If YES, please proposed structured: Standard Minimum Required: This property: Note: You man of Yes, please What is the to Will the area of a. If NO, who will all soil dis If NO, you will What will be to	Adamstown Twp. Da Rangeley Plt. Ri e complete the following tab actures and the nearest appl Road 25 feet in D-GN, D-GN2, D-G 50 feet in D-RS, D-RS2, D-F 75 feet in D-ES and D-C feet in D-ES and D-ES an	allas Pit. Lincolochardsontown Twp. Sandy le regarding the width of the icable road, property line, an Width of Vegeta Side Property Line GN3 RS3 15 feet feet feet feet feet fibit F: Documentation for Exemple AND EROSION of filling and grading?	n Plt. Mag River Plt. Tow vegetative buffers at d subdistrict setback ted Buffers Rear Property 15 feet cceptions to Buffering CONTROL (Note: ction 9. ag?	galloway Pit. Inships C, D I the narrov Is as applic Line feet g Requiren Exhibit ma nan 5,000 s feet?	o, and E. west point cable: Subdistric 50 feet nents. (So	between the Boundary (If Buffer to other ee instruction ired. See ins	existing an D-ES or D-C Subdistricts feet s on page in tructions.) YES YES	v) NO sq. ft. □NO sq. ft. □NO

Question 8 continues onto the next page...

8. SC	DIL DISTURBANCE, FILLING AND GRADING AND EROS	ION CONTROL (c	ontinue	d from previous page)	DEENW	11-1-62
8.8	Will all disturbed or filled area (other than driveways or walkways <u>OR</u> be heavily mulched with hay that is tacked down and a mining spring?) be propeny seeded num of 4 inches in de	and mul pth to pr	event sedimentation in the	•	. —
8.9	Will existing waterbodies, wetlands, and culverts in the area be p measures?	rotected by the use o	of hay ba	les, silt fence or other	,	
8.10	What is the average slope of land between the area to Slope of land between the area to Slope of 12% requires a minimum set by average slop	ack of 100') ee, an additional 3 foot s etback of 106 feet.))	⊒ 20% (setback is	Requires minimum setback of 13 required for each additional 1% o	30') of slope (ex	
	be disturbed and 30% (Requires minimum setback of 170 the nearest 4 / 50% (Paguires minimum setback of 250			Requires minimum setback of 2		
	waterbody or wetland? 50% (Requires minimum setback of 250 (Requires minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 250 (Requires minimum setback of 250 (Requires minimum setback of 250 (Requires minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires minimum setback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires minimum setback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires minimum setback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires average slope of 3	o)) De, an additional 4 foot s		Requires minimum setback of 29 required for each additional 1%		ample: an
8.11	If you answer NO to any of these questions, or your project how your project will not create an undue adverse impact on the devices and other plans to stabilize the site:	resources and uses i	in the are	ea. Include information about	10, please erosion co	explain ntrol
9. L <i>l</i>	AND AND WETLAND ALTERATION (Note: Exhibit or Supple	ement may be require	ed. See i	instructions.)		
	Will your proposal alter a total of one acre or more of land area, v				□YES	⊠NO
	If YES, you must also complete Exhibit G: Erosion and Sedimer Wetland Alterations.					
9.2	Will your proposal alter any amount of land that is mapped P-WL mark of any lake, pond, river, stream, or intertidal area?	***************************************		low the normal high water	TYES	⊠NO
	If YES, you must also complete Supplement S-3: Requirements	for Wetland Alteration	ns.			
F	PPLICANT SIGNATURE (REQUIRED) AND AGENT AUTH		IONAL)			
Agent		Daytime Phone		FAX		
`	g Address			Email	7in Codo	
Town	· · · · · · · · · · · · · · · · · · ·			State	Zip Code	
and to or with narrati conditi with al busine Buildir Comm inspec	personally examined and am familiar with the information submitt the best of my knowledge and belief, this application is complete out any required exhibits that it will result in delays in processing we and depiction of what currently exists on and what is proposed ons to any contractors working on my project. I understand that I I conditions and limitations of any permits issued to me by the LU iss to act as my legal agent in all matters relating to this permit aping and Energy Code (MUBEC) administered by the Maine Departrission's review is limited only to land use issues and the Commission that Code.	with all necessary ex my permit decision. I at the property. I ce am ultimately respon PC. If there is an Aga plication. I understar ment of Public Safety sion does not make a	chibits. I The infor entify that nsible for ent listed and that w by, Bureau any findin	understand that if the applicat mation in this application is a I will give a copy of this permicomplying with all applicable I above, I hereby authorize the hile there is a required Statew of Building Codes & Standard gs related to the MUBEC, nor	tion is inco true and a it and asso regulation at individua vide Maine ds, the r do the LU	mplete dequate ciated s and al or Uniform
□ 1 aı ev	e check one of the boxes below: (see "Accessing the Project Site athorize staff of the Land Use Planning Commission to access the aluating the site to verify the application materials I have submitte gulatory requirements, and the terms and conditions of my permit.	e project site as neces d, and for the purpos	ssary at a	any reasonable hour for the p	urpose of	
ac	equest that staff of the Land Use Planning Commission make reas cess the project site for purposes of any necessary site evaluation	n and compliance insp	tact me i pection.	n advance to obtain my permi	ission to fu	lly
All ap	propriate persons listed on the deed, lease or sales contract	must sign below.		,	٠	
Signa	ture(s) Ronald K. austra (Date	8/. 24/	1.5	
	for auto		Date	X 124/15		

Maine Land Use Planning Commission (ver. 10/2013)

Building Permit Application page 4 of 4


For office use:

40468
BP /5458

Tracking No. Permit No.

EXHIBIT D-1: SITE PLAN

Prepare a bird's-eye view site plan that shows your entire property and includes all the elements described for Exhibit D in the instructions on page iv. Do not use colors. Refer to the instructions on page v for a sample site plan.





For office use:		
48 468	BP 15459	
Tracking No.	Permit No.	

"B" 1"=18" t

EXHIBIT D-1: SITE PLAN

Prepare a bird's-eye view site plan that shows your entire property and includes all the elements described for Exhibit D in the instructions on page iv. Do not use colors. Refer to the instructions on page v for a sample site plan.





BUILDING PERMIT BP-15458

Based on the information you have submitted in the attached application and supporting documents, the staff of the Land Use Planning Commission concludes that, if carried out in compliance with the conditions of approval below, your proposal will meet the criteria for approval, 12 M.R.S.A. §685-B(4) of the Commission's statutes and the provisions of the Commission's *Land Use Districts and Standards*. Any variation from the application or the conditions of approval is subject to prior Commission review and approval. Any variation undertaken without Commission approval constitutes a violation of Land Use Planning Commission law. In addition, any person aggrieved by this decision of the staff may, within 30 days, request that the Commission review the decision.

LUPC Authorized Signature

| Some Signature | Control of the signature | Co

CONDITIONS OF APPROVAL

General Conditions

- 1. At least one week prior to commencing the permitted activities, the permittee must contact the Commission staff and notify them of the date construction will start. If these activities include a permanent foundation, the permittee must notify staff of the date the forms will be set. This will allow staff time to arrange a pre-construction site visit to review the applicable standards and requirements of the permit with the permittee. (If you leave a telephone message, please include your full name, telephone number, permit number, and the date/s the work will start.)
- 2. Construction activities authorized in this permit must be substantially started within 2 years of the effective date of this permit and substantially completed within 5 years of the effective date of this permit. If such construction activities are not started and completed within this time limitation, this permit shall lapse and no activities shall then occur unless and until a new permit has been granted by the Commission.
- 3. This permit is dependent upon and limited to the proposal as set forth in the application and supporting documents, except as modified by the Commission in granting this permit. Any variation is subject to prior review and approval of the Maine Land Use Planning Commission. Any variation from the application or the conditions of approval undertaken without approval of the Commission constitutes a violation of Land Use Planning Commission law.
- 4. Structures authorized under this permit, as well as filling/grading/soil disturbance and cleared openings created as part of construction activities authorized under this permit, must be located to meet the road, property line, water and wetland setback distances, exterior dimensions and building heights listed in Sections 4, 7 and 8 and approved by this permit.
- 5. Temporary and permanent sedimentation control measures must be implemented to effectively stabilize all areas of disturbed soil and to catch sediment from runoff water before it leaves the construction site so that sediment does not enter water bodies, drainage systems, water crossings, wetlands or adjacent properties. Clearing and construction activities, except those necessary to establish sedimentation control devices, shall not begin until all erosion and sedimentation control devices (including ditches, culverts, sediment traps, settling basins, hay bales, silt fences, etc.) have been installed and stabilized. Once in place, such devices shall be maintained to ensure proper functioning.
- 6. Effective, temporary stabilization of all disturbed and stockpiled soil must be completed at the end of each work day. All temporary sedimentation and erosion control devices shall be removed after construction activity has ceased and a cover of healthy vegetation has established itself or other appropriate permanent control measures have been effectively implemented. Permanent soil stabilization shall be completed within one week of inactivity or completion of construction.
- 7. Cleared openings created as part of construction activities authorized under this permit must be effectively stabilized and revegetated.
- 8. All imported fill material must be free of hazardous or toxic materials and must not contain debris, trash, or rubbish.
- 9. Unless otherwise proposed in Question 8.4 and by the submittal of Exhibit G, Erosion and Sediment Control Plan, and approved by this permit, soil disturbance must not occur when the ground is frozen or saturated.
- 10. Topsoil must not be removed from the site except for that necessary for construction activities authorized in this permit. Topsoil must be stockpiled at least 100 feet from any water body.
- 11. The permittee shall not advertise Land Use Planning Commission approval without first obtaining approval for such advertising. Any such advertising shall refer to this permit only if it also notes that the permit is subject to conditions of approval.

- 12. In the event the permittee should sell or lease this property, the buyer or lessee shall be provided a copy of the approved permit and conditions of approval. The new owner or lessee should then contact the Land Use Planning Commission to have the permit transferred into his/her name. If there are no additional changes the transfer can be accomplished on a Minor Change Form.
- 13. All exterior lighting must be located and installed so as to illuminate only the target area to the extent possible. Exterior lighting must not produce a strong, dazzling light or reflection beyond lot lines onto neighboring properties, water bodies, or roadway so as to impair driver vision or to create nulsance conditions.
- 14. The scenic character and healthful condition of the area covered under this permit must be maintained. The area must be kept free of litter, trash, junk cars and other vehicles, and any other materials that may constitute a hazardous or nuisance condition.
- 15. The permittee shall secure and comply with all applicable licenses, permits, authorizations, and requirements of all federal, state, and local agencies including but not limited to: Air and Water Pollution Control Regulations; Subsurface Wastewater Disposal System approval from the Local Plumbing Inspector and/or Maine Department of Health and Human Services, Subsurface Wastewater Program; and the Maine Department of Transportation, Driveway Entrance Permit, a physical E-911 address from your County Commissioner's Office.
- 16. Once construction is complete, the permittee shall submit a self-certification form, notifying the Commission that all conditions of approval of this permit have been met. The permittee shall submit all information requested by the Commission demonstrating compliance with the terms of this permit.
- 17. The proposed construction shall be setback at least 75 feet from the streams on this lot.
- 18. The permittee shall dispose all materials from the dismantled pre-Commission "Camp #2" in compliance with all applicable standards required by the State of Maine for Solid Waste Disposal.
- 19. This permit authorizes only two residential dwellings on this lot.